

MARANELLO
CERAMICHE

diva



diva

Levigato Rettificato

Atmosfere eleganti ed essenziali
che mescolano contemporaneità e
tradizione, minimalismo e classicità

*Elegant and essential atmospheres
combining the contemporary and the
traditional, minimalism and classicism*

*Elegante und essentielle
Atmosphären, die den
zeitgenössischen und den
traditionellen, Minimalismus
und Klassiker kombinieren*

*Ambiances élégantes et essentielles
qui mêlent manifeste et tradition,
minimalisme et classicisme*










DIV-Emperador Grey levigato/rett. 30x60 - 80x80





diva Carrara levigato/rett.




80x80

50



60x120

57



60x60


49



30x60


60

diva Onice levigato/rett.



80x80

50



60x120

57



60x60

49



30x60

60

diva Marfil levigato/rett.



80x80

50




60x120

57



60x60

49



30x60

60

diva Travertino levigato/rett.



80x80

50



60x120

57



60x60

49



30x60

60

diva Emperador Grey levigato/rett.



80x80

50




60x120

57



60x60

49



30x60

60

Comply with UNI EN 14411 All. G Bla Group | Conforme UNI EN 14411 All. G Gruppo Bla | Erfüllt UNI EN 14411 All. G Gruppe Bla | Classification Uni En 14411 All. G Bla Group



Carrara
NCS S 4000-N


Onice
NCS 0502-Y

Marfil
NCS S 0804-Y10R

Travertino
NCS S 2502 R

Emperador Grey
NCS S 0300-N

Special trims | *Pezzi speciali* | *Formstücke* | *Pièces speciales*



Diva battiscopa
7x60

Available in all colors
Disponibile in tutti i colori
Verfügbar in allen Farben
Disponible dans tous les coloris

115

IMBALLI . PACKING . VERPACKUNG . EMBALLAGE

Formato Size / Format		Thickness Spessore Stärke	Pz / Box Stk. / Ktn	Mq / Box Qm / Ktn	Kg / Box Kg / Ktn	Box / Pal Ktn / Pal	Mq / Pal QM / Pal	Kg / Pal Kg / Pal
80x80	31,5"x31,5"	10	2	1,28	29,9	42	53,76	1250
60x120	24"x48"	11,5	2	1,44	38,26	26	37,44	1015
60x60	24"x24"	9,5	4	1,44	31,00	32	46,08	1010
30x60	12"x24"	9,5	5	0,90	18,04	56	50,40	1030
7x60 battiscopa rect.	2,8"x24"	10	10	-	8,40	96	-	-

DIVINA CARATTERISTICHE TECNICHE

TECHNICAL FEATURES . TECHNISCHE DATEN . CARACTÉRISTIQUES TECHNIQUES

GRES PORCELLANATO SMALTATO . GLAZED PORCELAIN STONEWARE . FEINSTEINZEUG GLASIERT
GRÈS CERAME EMAILLÉ / LEVIGATO. POLISHED. POLIERT.

Technical features Caratteristiche tecniche Technische Daten Caractéristiques techniques	Norm Norma Norm Norme	Values required by the norms Valore prescritto dalle norme Normvorschriften Werte Valeur Prescrite	Galileo value Valore Galileo Galileo Werte Valeur Galileo
Comply with UNI EN 14411 All. G Bla Group Conforme UNI EN 14411 All. G Gruppo Bla In Übereinstimmung mit UNI EN 14411 Anhang G Gruppe Bla Classification selon Uni En 14411 All. G Bla Group			
 Sizes Dimensioni Abmessungen Dimensions	ISO 10545-2	Lunghezza e larghezza/ lenght and width Länge und Breite / Longueur et largeur ± 0,6% Spessore/ thickness/ Stärke / Epaisseur ± 5% Rettilinearità spigoli/ linearity/ Kantengeradheit / Rectitude des aretes ± 0,5% Ortogonalità/ wedging/ Rechtwinkligkeit Orthogonalité ± 0,6% Planarità/ warpage / Ebenflächigkeit Planéité ± 0,5%	Conforme Anforderungen erfüllt In accordance Conforme
 Water absorption Assorbimento d'acqua Wasseraufnahme Absorption d'eau	ISO 10545-3	≤ 0,5%	0,05%
 Breaking strenght Resistenza alla flessione Biegefestigkeit Résistance à la exion	ISO 10545-4	35 N/ mm2	40,1 N/mm²
 Resistance to acid Resistenza agli acidi Säurebeständigkeit Résistance aux produits chimique	ISO 10545-13	Classe GB min. GLB min. GHB min. Class GB min. GLB min. GHB min. Klasse GB min. GLB min. GHB min	GA GLB GHB
 Resistance against abrasion (PEI) Resistenza all'abrasione (PEI) Abriebfestigkeit (PEI) Résistance à l'abrasion (PEI)	ISO 10545-7	Abrasion class from I to V Classi di abrasione da I a V Abriebklassen I bis V Classes d'âbrasion de I a V	PEI IV
 Frost resistance Resistenza al gelo Frostbeständigkeit Résistance au gel	ISO 10545-12	Frost proof Resiste / Beständig Non gélives	Nessun campione deve presentare rotture o alterazioni apprezzabili della superficie. No sample must show alterations to the surface. Die Muster dürfen weder Bruch noch S chäden an der Oberfläche aufweisen. Les échantillons ne doivent pas présenter de ruptures ou d'altérations cosidérables de la surface.
 Mohs surface hardness Durezza superficie Mohs Ritzhärte nach Mohs Dureté surface Mohs	UNI EN 101	≥ 5	4
 Crazing to staining Resistenza alle macchie Fleckenbeständigkeit Resistance aux taches	ISO 10545-14	Classe ≥ 3 Class ≥ 3 Gruppe ≥ 3	5
 Resistance to sudden temperature changes/ Resistenza agli sbalzi termici/ Temperatur-Wechselbesändigkeit Résistance aux variations thermiques	ISO 10545-9	-	Conforme Anforderungen erfüllt In accordance Conforme
 Coeficenti di dilatazione termica lineare Coefficient of linear thermal expansion Wärmeausdehnungskoeffizient Coef cient de dilatation thermique lineaire	ISO 10545-8	α <=7x10-6/°c	Conforme Anforderungen erfüllt In accordance Conforme

CONDIZIONI GENERALI DI VENDITA

GENERAL SALES CONDITIONS

the title to the goods shall remain vested into the seller also in their respect, unless this is contrary to provisions of any applicable law which may not be derogated; otherwise and in the alternative, the credits towards those third parties or the payments resulting from such sales shall become the property of the seller or, if the law does not allow it, shall be held by purchaser as a seller's trustee and shall be transferred to this seller at the latter's request. Purchaser shall inform third parties, prior to any sale of products to them, about the above retention of title clause. The goods which are the object of retention of title shall be kept by purchaser physically apart and identified as the seller's property.

24. Purchaser may not sell products which are the proper of the seller to third parties out of its normal course of business nor deliver them to third parties, pledge, attach them or dispose in any way thereof; purchaser shall also timely inform the seller of any right which third parties may acquire on those goods.
25. In case of purchaser's late payments seller may, without any formality, including delay notices, repossess all goods which are its own property and all credit instruments towards third parties relating to such goods all further remedies at law for damages suffered being expressly reserved

WARRANTY

26. The illustrations and descriptions in the catalogues and price lists, as well as all our literature and samples, are to be considered indicative and provided purely for illustrative purposes.

The product dimensions are nominal and, particularly for the porcelain stoneware floor tiles, are subject to the allowed tolerances for use. The warranty on the goods is restricted to 1st grade materials. We therefore expressly decline responsibility for 2nd and 3rd choice or stock materials as well as for occasional and/or special lots that are sold subject to "approval on sight" and without any form of warranty.

The 1st choice materials are guaranteed to conform to the EN standards in force at the time of sale with a tolerance of 5% (five percent); for all matters not explicitly specified elsewhere, they are sold with reference to the common practices and workmanlike standards of the ceramics sector, and the recommendations for use provided in our general catalogue.

Any claims for defects in materials and workmanship must be notified in writing, to avert invalidation, by registered letter addressed exclusively to the headquarters of Sassolart in Villalunga, within 8 days from the date of material delivery for manifest defects, or from the date of their discovery for hidden defects. Failure to comply with the above shall invalidate the warranty according to art. 1495 of the civil code.

Any differences in shade shall not constitute a defect in the material and cannot be claimed as such.

If the claim is notified in time and proves to be justified, the vendor's obligation shall be limited to accepting the returns and subsequently replacing the flawed or defective goods in the same place as the original supply, with any resolution of the contract reductions in price or compensation for damages being categorically excluded and renounced.

The responsibility and the warranty shall in no way be extended to materials that have already been laid.

The materials implicated in the claim shall not be replaced if the purchaser fails to immediately cease using the material upon discovering the defect.

In any case, the maximum warranty shall not exceed a value equal to five times the value of the defective materials, with an upper limit of € 10,000.00 (ten thousand).

COMPLAINTS

27. a) Complaints for missing goods must be made at the time the goods are received.
b) Complaints of supply of goods not in conformity with those agreed must also be made at the moment they are received.
c) Delivery of goods sent must in any case be accepted by the purchaser. Any delivery containing contestable material and/or materials to be returned to our company must be stored by the purchaser in an adequate way and so as to be protected from eventual damage.
d) The guarantee regarding hidden defects will be excluded or limited in the following cases: unauthorized removal of the work; where a the laying has not been carried out according to standard; where our regulations and special directives as to application have not been observed; ads of damage where there has been a lack of the normal diligence which might have limited the eventual damage. The use of visibly defective goods implies the acceptance of the inferior quality and excludes any later complaint.
e) The goods supplied by us will be exchanged free of charge whenever a guaranteed characteristic is found to be missing and consequently the goods are unusable. A reduction in price may be agreed on instead of the replacement of defective goods.
f) Proof that the goods have been treated in an adequate manner and that the tiles have been laid according to standard is obligatory : in any claim for indemnity.
In doubtful case an appraisal is necessary. In the case that a damage is evidenced and our company must pay a compensation, the expenses of the appraisal will be at our own charge.
g) We must be given the opportunity to check the defects subject of any complaint in their original state. In such case we must be granted the time to ascertain the cause of the damage. If this right is denied us by the purchaser, we decline every responsibility for any indemnity claimed.
h) The damaged party will be obliged to take every measure necessary to limit the damage to minimum. And further, he must ensure the availability of a sufficient number of samples of the contested goods.
28. Complaints regarding defects found in certain pieces of a supply will not affect the validity of the same, but will remain limited to the defective items.
29. The vendor is not required to pay direct or indirect damages of any kind arising out of the use or failure to use defective materials.
30. Any complaints or protests will not give rise to a suspension or refusal of the payment of any invoice, which must be effected completely and regularly according to the terms agreed.

APPLICABLE LAW, COMPETENT JURISDICTION, WRITTEN COMMUNICATIONS

31. The export sales contracts entered into by the seller are governed by the law of Italy and in particular by the Uniform Law on the International Sale of Goods and by the Uniform Law on the Formation of Contracts for the international sale of goods unless derogated by the present general conditions.
32. The competent jurisdiction in respect of all controversies relating to the sales of products by seller and to all legal relationships entered in connection therewith, shall be exclusively the one of the seller's registered seat.
33. Any and all sale contracts based on the present General conditions may be modified only by an instrument in writing or by a communication in writing, signed by an authorized representative of the parties; any written communication and notice to be given in compliance with the present general conditions shall be either in the form of a fax or in the form of a registered letter, return receipt requested.

Listino Prezzi • Price List €

Codice Pricecode	Prezzo al mq/Pal Price sqm/Pal	Prezzo al mq spall Price sqm/com	Codice Pricecode	Prezzo al mq/Pal Price sqm/Pal	Prezzo al mq spall Price sqm/com	Codice Pricecode	Prezzo al pz Price Pc
1	19,20		46	54,00	62,00	110	9,60
2	20,00		47	56,00	64,00	111	10,00
3	21,20	29,20	48	64,00	72,00	112	10,40
4	21,60	29,60	49	68,00	76,00	113	11,20
5	23,20	31,20	50	72,00	80,00	114	11,60
6	24,50	32,50	51	78,00	86,00	115	12,80
7	24,80	32,80	52	82,00	90,00	116	13,00
8	25,20	33,20	53	92,00	100,00	117	13,60
9	25,90	33,90	54	48,00	56,00	118	14,00
10	26,00	34,00	55	58,00	66,00	119	14,40
11	26,10	34,10	56	74,00	82,00	120	16,00
12	26,80	34,80	57	76,00	84,00	121	16,40
13	27,60	35,60	58	60,00	68,00	122	16,80
14	27,80	35,80	59	52,00	60,00	123	17,20
15	28,50	36,50	60	58,00	66,00	124	18,00
16	29,50	37,50	61	60,00	68,00	125	20,00
17	30,00	38,00	62	66,00	74,00	126	22,00
18	30,50	38,50	63	70,00	78,00	127	23,60
19	30,80	38,80	64	74,00	82,00	128	26,00
20	31,20	39,20	65	76,00	84,00	129	28,00
21	31,60	39,60	66	80,00	88,00	130	32,00
22	31,80	39,80	67	90,00	98,00	131	33,20
23	32,00	40,00	68	92,00	100,00	132	36,00
24	32,20	40,80	69	94,00	102,00	133	39,80
25	32,40	40,40	70	98,00	106,00	134	40,00
26	32,80	40,80	71	100,00	108,00	135	46,00
27	33,20	41,20	72	102,00	110,00	136	48,00
28	33,50	41,50	73	104,00	112,00	137	50,00
29	33,60	41,60	74	106,00	114,00	138	52,00
30	34,00	42,00	75	108,00	116,00	139	59,20
31	34,80	42,80				140	72,00
32	35,20	43,20	Codice Pricecode	Prezzo al pz Price Pc		141	86,40
33	35,60	43,60	98	2,40		142	100,00
34	36,00	44,00	99	3,00		143	149,60
35	36,60	44,60	100	3,80		144	116,00
36	38,80	46,80	101	4,40		145	202,00
37	39,00	47,00	102	5,10			
38	39,20	47,20	103	5,40		Codice Pricecode	Prezzo al ml Price lm
39	39,60	47,60	104	5,70		200	4,40
40	40,00	48,00	105	6,00		201	5,40
41	42,00	50,00	106	6,80		202	7,80
42	43,20	51,20	107	7,60			
43	44,00	52,00	108	7,80			
44	46,00	54,00	109	8,80			
45	51,00	59,00					

ATTENZIONE: PER ORDINI INFERIORI AL PALLET SI APPLICA ESCLUSIVAMENTE LA COLONNA DELLO SPALLETTIZATO

è un marchio **AURORA**

Tel 0536 - 910992

Fax 0536 - 911028

E-mail: info@maranelloceramiche.com

www.maranelloceramiche.com

Sede legale:

AURORA S.r.l.

Via Tien An Men, 21

I 41049 Sassuolo (MO)

